BRAIN RESEARCH

VOL. 779 NOS. 1,2 **CONTENTS** **1 JANUARY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Neurodegeneration induced by MoMuLV-*ts*1 and increased expression of Fas and TNF-α in the central nervous system
W. Choe, G. Stoica, W. Lynn and P.K.Y. Wong (USA) 1

Developmental changes of $GABA_A$ receptor-chloride channels in rat Meynert neurons
J.-S. Rhee, Y.-H. Jin and N. Akaike (Japan) 9

2,5-Anhydro-D-mannitol induces Fos-like immunoreactivity in hindbrain and forebrain: relationship to eating behavior
C.C. Horn and M.I. Friedman (USA) 17

Neuroanatomical patterns of Fos-like immunoreactivity induced by naltrexone in food-restricted and ad libitum fed rats
K.D. Carr, T.H. Park, Y. Zhang and E.A. Stone (USA) 26

Muscimol increases acetylcholine release by directly stimulating adult striatal cholinergic interneurons
I.S. Login, S.N. Pal, D.T. Adams and P.E. Gold (USA) 33

The effect of morphine on responses of mediodorsal thalamic nuclei and nucleus submedius neurons to colorectal distension in the rat
S.-w. Yang, K.A. Follett, J.G. Piper and T.J. Ness (USA) 41

Effect of superior cervical ganglionectomy on catecholamine concentration in rat cochlea
P. Gil-Loyzaga, M.A. Vicente-Torres, A. Arce, D.P. Cardinali and A. Esquifino (Spain, Argentina) 53

D_3 dopamine receptor mRNA is widely expressed in the human brain
M. Suzuki, Y.L. Hurd, P. Sokoloff, J.-C. Schwartz and G. Sedvall (Sweden, France) 58

Intraventricular GLP-1 reduces short- but not long-term food intake or body weight in lean and obese rats
J.C.K. Donahey, G. Van Dijk, S.C. Woods and R.J. Seeley (USA) 75

Facilitation of female rat lordosis behavior by hypothalamic infusion of 5-$HT_{2A/2C}$ receptor agonists
A. Wolf, M. Caldarola-Pastuszka and L. Uphouse (USA) 84

Organization of choline acetyltransferase-containing structures in the cranial nerve motor nuclei and spinal cord of the monkey
T. Ichikawa and T. Shimizu (Japan) 96

Antinociception following opioid stimulation of the basolateral amygdala is expressed through the periaqueductal gray and rostral ventromedial medulla
F.J. Helmstetter, S.A. Tershner, L.H. Poore and P.S.F. Bellgowan (USA) 104

Castration reduces olfactory bulb norepinephrine transporter function as indicated by responses to noradrenergic uptake blockers
Y. Shang and D.E. Dluzen (USA) 119

Recovery of rat skeletal muscles after partial denervation is enhanced by treatment with nifedipine
C.M. White and G. Vrbová (UK) 125

Rapid shifts in receptive fields of cells in trigeminal subnucleus interpolaris following infraorbital nerve transection in adult rats
B.G. Klein, C.F. White and J.R. Duffin (USA) 136

Long-term kindling and interictal emotionality in rats: effect of stimulation site
L.E. Kalynchuk, J.P.J. Pinel and D. Treit (Canada) 149

Opioid supraspinal analgesic synergy between the amygdala and periaqueductal gray in rats
Z.W. Pavlovic and R.J. Bodnar (USA) 158

Effects of NMDA receptor glycine recognition site antagonism on cerebral metabolic rate for glucose and cerebral blood flow in the conscious rat
Y. Morimoto, B. Wu, R.D. Bart, Y. Morimoto, R.D. Pearlstein and D.S. Warner (USA) 170

Differential effects of interleukin (IL)-1β, IL-2 and IL-6 on responding for rewarding lateral hypothalamic stimulation
H. Anisman, L. Kokkinidis, T. Borowski and Z. Merali (Canada) 177

Decline of circadian photosensitivity associated with retinal degeneration in CBA/J-*rd*/*rd* mice
T. Yoshimura and S. Ebihara (Japan) 188

Metabolic inhibition potentiates AMPA-induced Ca^{2+} fluxes and neurotoxicity in rat cerebellar granule cells
G. Cebers, A. Cebere and S. Liljequist (Sweden) 194

(contents continued on p. 367)

0006-8993(19980101)779:1/2;1-1

BRAIN RESEARCH

VOL. 779 NOS. 1,2 **CONTENTS** **1 JANUARY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Neurodegeneration induced by MoMuLV-*ts*1 and increased expression of Fas and TNF-α in the central nervous system
W. Choe, G. Stoica, W. Lynn and P.K.Y. Wong (USA) 1

Developmental changes of $GABA_A$ receptor-chloride channels in rat Meynert neurons
J.-S. Rhee, Y.-H. Jin and N. Akaike (Japan) 9

2,5-Anhydro-D-mannitol induces Fos-like immunoreactivity in hindbrain and forebrain: relationship to eating behavior
C.C. Horn and M.I. Friedman (USA) 17

Neuroanatomical patterns of Fos-like immunoreactivity induced by naltrexone in food-restricted and ad libitum fed rats
K.D. Carr, T.H. Park, Y. Zhang and E.A. Stone (USA) 26

Muscimol increases acetylcholine release by directly stimulating adult striatal cholinergic interneurons
I.S. Login, S.N. Pal, D.T. Adams and P.E. Gold (USA) 33

The effect of morphine on responses of mediodorsal thalamic nuclei and nucleus submedius neurons to colorectal distension in the rat
S.-w. Yang, K.A. Follett, J.G. Piper and T.J. Ness (USA) 41

Effect of superior cervical ganglionectomy on catecholamine concentration in rat cochlea
P. Gil-Loyzaga, M.A. Vicente-Torres, A. Arce, D.P. Cardinali and A. Esquifino (Spain, Argentina) 53

D_3 dopamine receptor mRNA is widely expressed in the human brain
M. Suzuki, Y.L. Hurd, P. Sokoloff, J.-C. Schwartz and G. Sedvall (Sweden, France) 58

Intraventricular GLP-1 reduces short- but not long-term food intake or body weight in lean and obese rats
J.C.K. Donahey, G. Van Dijk, S.C. Woods and R.J. Seeley (USA) 75

Facilitation of female rat lordosis behavior by hypothalamic infusion of 5-$HT_{2A/2C}$ receptor agonists
A. Wolf, M. Caldarola-Pastuszka and L. Uphouse (USA) 84

Organization of choline acetyltransferase-containing structures in the cranial nerve motor nuclei and spinal cord of the monkey
T. Ichikawa and T. Shimizu (Japan) 96

Antinociception following opioid stimulation of the basolateral amygdala is expressed through the periaqueductal gray and rostral ventromedial medulla
F.J. Helmstetter, S.A. Tershner, L.H. Poore and P.S.F. Bellgowan (USA) 104

Castration reduces olfactory bulb norepinephrine transporter function as indicated by responses to noradrenergic uptake blockers
Y. Shang and D.E. Dluzen (USA) 119

Recovery of rat skeletal muscles after partial denervation is enhanced by treatment with nifedipine
C.M. White and G. Vrbová (UK) 125

Rapid shifts in receptive fields of cells in trigeminal subnucleus interpolaris following infraorbital nerve transection in adult rats
B.G. Klein, C.F. White and J.R. Duffin (USA) 136

Long-term kindling and interictal emotionality in rats: effect of stimulation site
L.E. Kalynchuk, J.P.J. Pinel and D. Treit (Canada) 149

Opioid supraspinal analgesic synergy between the amygdala and periaqueductal gray in rats
Z.W. Pavlovic and R.J. Bodnar (USA) 158

Effects of NMDA receptor glycine recognition site antagonism on cerebral metabolic rate for glucose and cerebral blood flow in the conscious rat
Y. Morimoto, B. Wu, R.D. Bart, Y. Morimoto, R.D. Pearlstein and D.S. Warner (USA) 170

Differential effects of interleukin (IL)-1β, IL-2 and IL-6 on responding for rewarding lateral hypothalamic stimulation
H. Anisman, L. Kokkinidis, T. Borowski and Z. Merali (Canada) 177

Decline of circadian photosensitivity associated with retinal degeneration in CBA/J-*rd*/*rd* mice
T. Yoshimura and S. Ebihara (Japan) 188

Metabolic inhibition potentiates AMPA-induced Ca^{2+} fluxes and neurotoxicity in rat cerebellar granule cells
G. Cebers, A. Cebere and S. Liljequist (Sweden) 194

(contents continued on p. 367)

0006-8993(19980101)779:1/2;1-1

(contents continued)

The role of afferents to the ventral tegmental area in the handling stress-induced increase in the release of dopamine in the medial prefrontal cortex: a dual-probe microdialysis study in the rat brain
P. Enrico, M. Bouma, J.B. De Vries and B.H.C. Westerink (Italy, Netherlands) 205
Reduced dopamine output in the nucleus accumbens but not in the medial prefrontal cortex in rats displaying a mecamylamine-precipitated nicotine withdrawal syndrome
B.E. Hildebrand, G.G. Nomikos, P. Hertel, B. Schilström and T.H. Svensson (Sweden) 214
The effects of L-deprenyl treatment, alone and combined with GM1 ganglioside, on striatal dopamine content and substantia nigra pars compacta neurons
D.S. Rothblat and J.S. Schneider (USA) 226
Death of transcallosal neurons after close axotomy
P.S. Fishman and D.A. Parks (USA) 231
Distinct mechanisms for expression of Fos-like immunoreactivity and synaptic potentiation in telencephalic hyperstriatum of the quail chick
S. Yanagihara, T. Yagi and T. Matsushima (Japan) 240
Expression of Ca^{2+}-dependent (classical) PKC mRNA isoforms after transient cerebral ischemia in gerbil hippocampus
B. Zabłocka, K. Maternicka, T. Zalewska and K. Domańska-Janik (Poland) 254
Interaction of angiotensin II and adenosine receptors in pentylenetetrazol-induced kindling in mice
V.P. Georgiev and J.D. Tchekalarova (Bulgaria) 259
Hepatocyte growth factor (HGF/SF) in Alzheimer's disease
H. Fenton, P.W. Finch, J.S. Rubin, J.M. Rosenberg, W.G. Taylor, V. Kuo-Leblanc, M. Rodriguez-Wolf, A. Baird, H.M. Schipper and E.G. Stopa (USA, Canada) 262
The pH buffering capacity of hippocampal slices from young adult and aged rats
E.L. Roberts Jr. and C.-P. Chih (USA) 271
Carbonic anhydrase isozyme II immunoreactivity in the mechanoreceptive Ruffini endings of the periodontal ligament in rat incisor
K. Ochi, S. Wakisaka, S.H. Youn, K. Hanada and T. Maeda (Japan) 276
Crossed inhibition of the soleus H reflex during passive pedalling movement
J. Cheng, J.D. Brooke, J.E. Misiaszek and W.R. Staines (Canada) 280
Reversal of ischemic-induced chronic memory dysfunction in aging rats with a free radical scavenger–glycolytic intermediate combination
J.C. De la Torre, N. Nelson, R.J. Sutherland and B.A. Pappas (USA, Canada) 285
Phenylethanolamine *N*-methyltransferase mRNA in rat hypothalamus and cerebellum
J.L. Andreassi II, W.B. Eggleston, G. Fu and J.K. Stewart (USA) 289
Resistance to anoxic injury in the dorsal columns of adult rat spinal cord following demyelination
T. Imaizumi, J.D. Kocsis and S.G. Waxman (USA) 292
Mild hypothermia reduces the rate of metabolism of arachidonic acid following postischemic reperfusion
M. Kubota, M. Nakane, K. Narita, T. Nakagomi, A. Tamura, H. Hisaki, H. Shimasaki and N. Ueta (Japan) 297
Biophysical properties of descending brain neurons in larval lamprey
D.T. Rouse, X. Quan and A.D. McClellan (USA) 301
M100907, a highly selective 5-HT_{2A} receptor antagonist and a potential atypical antipsychotic drug, facilitates induction of long-term potentiation in area CA1 of the rat hippocampal slice
R.Y. Wang and V.L. Arvanov (USA) 309
In vivo long-term potentiation in the insular cortex: NMDA receptor dependence
M.L. Escobar, V. Chao and F. Bermúdez-Rattoni (México) 314
Effect of pentylenetetrazol treatment on cholecystokinin mRNA and peptide levels in rat hippocampus and cortex
K. Takeda, K. Nakata, S. Takahashi, T. Chikuma and T. Kato (Japan) 320
Regional differences in hippocampal excitability manifested by paired-pulse stimulation of genetically epileptic El mice
Y. Fueta, H. Kawano, T. Ono, T. Mita, K. Fukata and K. Ohno (Japan) 324
Depolarization triggers intracellular magnesium surge in cultured dorsal root ganglion neurons
H. Kato, H. Gotoh, M. Kajikawa and K. Suto (Japan) 329
Effects of toluene on tonic firing and membrane properties of rat medial vestibular nucleus neurones in vitro
A.K. Magnusson, M.R. Sulaiman, M.B. Dutia and R. Tham (Sweden, UK) 334
The aged suprachiasmatic nucleus is phase-shifted by cAMP in vitro
N.F. Ruby, D.M. Edgar, H.C. Heller and J.D. Miller (USA) 338
Dendro-dendritic connections between motoneurons in the rat spinal cord: an electron microscopic investigation
J.J.L. Van der Want, A. Gramsbergen, J. IJkema-Paassen, H. De Weerd and R.S.B. Liem (Netherlands) 342
Attenuation of motor nerve terminal repetitive discharge by the 21-aminosteroid tirilazad: evidence of a neural calcium antagonist action
E.D. Hall and P.A. Yonkers (USA) 346
Altered $[Ca^{2+}]$ homeostasis in PC12 cells after nerve growth factor deprivation
G. Dispersyn, R. Nuydens, M. De Jong, M. Borgers and H. Geerts (Belgium, Netherlands) 350
Mechanism underlying potentiation by progesterone of the kainate-induced current in cultured neurons
F.-S. Wu, H.-M. Yu and J.-J. Tsai (Taiwan) 354
Nicotinic $\alpha 7$ receptors protect against glutamate neurotoxicity and neuronal ischemic damage
S. Shimohama, D.L. Greenwald, D.H. Shafron, A. Akaika, T. Maeda, S. Kaneko, J. Kimura, C.E. Simpkins, A.L. Day and E.M. Meyer (USA, Japan) 359

Author Index 364